

Bariatric Manyal



1301 S. COULTER STREET, SUITE 413 AMARILLO, TX / 79106 P: 806.677.7952 F: 806.353.6081

TABLE OF CONTENTS

Welcome	3
General Information	4
Procedures	10
Surgery Locations	14
Pathway to Bariatric Surgery	16
Requirements for Surgery	20
Medications & Vitamins	26
What To Expect After Surgery	34
Appointments After Surgery	37
Resources	39
Frequently Asked Questions	49
Contact Us	52

PANHANDLE WEIGHT LOSS CENTER

velcome!

Thank you for choosing Panhandle Surgical Group, the practice of Dr. Neichoy and Dr. Schniederjan. We know the decision to start your new health journey was not easy and we want you to know our entire team is dedicated to helping you navigate the process.

This manual is for individuals considering bariatric surgery as a means for weight loss. The information in this book is part of the process called "informed consent". The combination of information contained in this manual, consults with our providers, the opportunity to ask questions and have them answered fully, will constitute informed consent.

We are dedicated to educating you fully on the options available to you for weight loss. We want everyone to understand bariatric surgery is NOT a quick-fix nor the easy way out. Surgery is a medical treatment for obesity and related diseases. It is a tool to help you start a long-term commitment to a lifestyle that promotes overall health, wellness, and longevity. Surgery may not produce significant weight loss for some people and medical conditions may remain or worsen after surgery.

Our team of advanced practitioners, nurses, dietitians, health coaches, navigators and surgery coordinators work together with our surgeons to provide informed and compassionate care for every patient we encounter!

Should further questions arise, please call our office at 806-677-7952 or email us at thedoctors@panhandle-surgical.com.

General Information

What is Bariatric Surgery?

Bariatric surgery (commonly referred to as "weight loss surgery") is a medical treatment for persons with overweight or obesity. Bariatric surgery is not a "quick-fix" nor "the easy way out", but is a tool that can be used to lose weight and create a healthier lifestyle. The chances of reaching a "normal" body weight for a lasting period of time through conventional weight loss methods (such as diet, exercise, and medication) are less than 1% for people with a BMI greater than 35. In comparison, 90% of patients after bariatric surgery lose 50% of excess weight and keep it off long-term. Currently, *bariatric surgery is the most successful and durable treatment for obesity.*

Bariatric surgery works by changing the anatomy (or position) of the stomach and small intestines. These procedures either provide restriction (the stomach holds less food), malabsorption (nutrients are not fully absorbed), or a combination of both. These changes result in decreased appetite, increased feeling of fullness, changes in metabolism (how your body burns energy), and other changes that promote weight loss.

Bariatric surgery is considered "elective", which means it is a surgery patients choose to have for a better quality of life.

Who IS a Candidate for Bariatric Surgery?

- A BMI of 27 or higher makes you a candidate for bariatric surgery
- A BMI of 35 or higher makes you a candidate for bariatric surgery <u>covered by insurance</u>

At Panhandle Weight Loss Center, we offer bariatric surgery to adults and adolescents. Scan the QR code below to find out if you may be a candidate.



Who is NOT a Candidate for Bariatric Surgery?

Persons suffering from any of the following:

- Uncontrolled psychiatric/emotional disorders
- Drug or alcohol addiction
- Medical conditions that would make surgery unduly hazardous


Body Mass Index (BMI)

Body fat is difficult to measure directly, so it is often estimated by BMI. BMI is a height-to-weight ratio and is often used by healthcare providers and insurance companies to determine eligibility for certain surgeries, medications, and other treatments. Scan the QR code below to calculate your BMI.



BMI is mistakenly used to label how healthy someone is, but never shows the full picture. Similarly, a person's "ideal body weight" is a number that is not indicative of a person's health. At Panhandle Weight Loss Center, we want to use metrics other than your BMI and weight to track health and wellness. However, we are required to utilize BMI for insurance purposes, so this is a number we will discuss.

Weight Categories Based on BMI



What is Obesity?

Obesity is a treatable, complex disease associated with having an excess amount of body fat. It is caused by hormonal, genetic and environmental factors and is difficult to control through dieting alone. Obesity is diagnosed by a healthcare provider and is classified as having a body mass index (BMI) of 30 or greater.

What is Obesity NOT?

A lack of willpower Yours to manage alone Just about food Cured by a miracle treatment

Causes of Obesity

There are many contributing factors to obesity. Most fall into one of these categories: psychological, genetic, hormonal, and behavioral

- Stress
- Depression
- Trauma
- Family history
- Metabolism
- Poor stress response
- Thyroid disorders

- Physical inactivity
- Dietary patterns
- Sleep deprivation
- Medication(s)
- Environmental exposures
- Shift work

- Hunger/fullness dysregulation
- Leptin resistance
- Insulin resistance
- Excess cortisol production
- Access to healthy food

Risks Associated with Obesity

Excess weight can be hard on your whole body. More than 50 health problems are related to excess weight and obesity. These conditions can decrease your quality of life and are commonly called obesity-related conditions.

Not everyone with obesity will develop an obesity-related condition, but the more weight you carry, the more likely you are to develop an obesity-related condition. Finding and treating health conditions early is considered best for your overall health and weight loss of 5-10% can reduce the effects of obesity-related conditions


Obesity-Related Conditions

Lung Disorders Incontinence Arthritis Spine Problems Hernias High Blood Pressure High Cholesterol

Diabetes Heart Disease Stroke Cancer Sleep Apnea Migraines Depression Heartburn Heart Failure Male Impotence Sexual Dysfunction Infertility Fatty Liver Disease Gallbladder Disease

Procedures

Procedures Offered




*other procedures, such as the gastric bypass (RNY) or the traditional duodenal switch (DS), may be performed if deemed necessary by your medical team.

Revisional Surgeries

The following revisions are offered on a case-by-case, limited basis:

Sleeve to SADI-S Sleeve to Gastric Bypass (RNY) Gastric Bypass Distalization LapBand to Sleeve LapBand to SADI-S LapBand Removal

Vertical Sleeve Gastrectomy (VSG)



The Laparoscopic Sleeve Gastrectomy, often called the "sleeve", is performed by removing approximately 80% of the stomach. The remaining stomach is the size and shape of a banana.

At Panhandle Weight Loss Center, the procedure is performed laparoscopically. This means the surgeon will make five or six small incisions in the abdomen, then use a special video camera (laparoscope) to complete the operation. The surgeon uses a stapling device to remove a portion of the stomach, leaving a narrow "tube" or "sleeve" which restricts the amount of food you can eat. This surgery does not involve re-routing the intestines as some other procedures do.

A few other things to note about the VSG:

Vitamins/Minerals (multivitamin, B12, calcium, and iron) are required lifelong No significant changes in stools are observed Requires commitment to lifelong follow-up Potential for weight regain (20-25% of patients) Remission rate for diabetes is 60%

Information taken from: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC8012333/ https://asmbs.org/condition_procedures/sleeve-gastrectomy/

Common Channel 250-300 cm

The Duodenal Switch (SADI-S) is a modification of the traditional duodenal switch (DS or BPD-DS) procedure. There are two steps in this procedure. The first step is identical to a Gastric Sleeve. This allows patients to feel fuller after eating significantly less food (restriction). The second step is to bypass nearly one-half of the small intestine. This reduces nutrient absorption (malabsorption). When the patient eats, food goes through the stomach pouch and directly into the latter portion of the small intestine. The food then mixes with digestive juices from the first part of the small intestine. This surgery offers good weight loss along with less hunger, more fullness, blood sugar control, and diabetes improvement.

A few other things to note about the SADI-S:

Simpler and faster to perform (one intestinal connection) than the bypass or BPD-DS Common Channel is 300cm (compared to 100cm with the BPD-DS) Multivitamin, B12, calcium, iron and fat-soluble vitamin supplements are required lifelong On average, 1-3 loose stools per day are expected Requires commitment to lifelong follow-up Minimal to no weight regain Remission rate for diabetes is more than 85%

Information taken from: https://asmbs.org/condition_procedures/single-anastomosisduodeno-ileal-bypass-with-sleeve-gastrectomy/

Surgery Locations

Surgery Locations

We perform surgeries at three different locations in Amarillo, TX. The facility at which you will be scheduled depends primarily on insurance benefits and availability of facilities

Surgery Center of Amarillo

1010 South Coulter Street Amarillo, TX 79106 806.418.8870



BSA Hospital

1600 Wallace Boulevard Amarillo, TX 79106 806.212.2000



Northwest Texas Hospital

1501 South Coulter Street Amarillo, TX 79106 806.354.1000



Path to Surgery

Navigating Insurance Approval

We accept all insurance policies <u>except</u> Medicaid and Ambetter.

You are assigned a Bariatric Coordinator after your consult with the surgeon. The Bariatric Coordinator will explain whether or not your insurance provides bariatric surgery benefits. If you **do not** have bariatric surgery benefits, you will be considered a "cash pay" patient with our office. If you **do** have bariatric benefits, the Coordinator will inform you of the requirements given by your insurance policy.

Each policy is unique in their time requirements for approval to have bariatric surgery. Some policies require *consecutive* monthly visits and others require a certain amount of visits within any time frame before surgery. Please ensure you fully understand these requirements, as missed visits may cause a delay in approval. You are also welcome to contact your insurance company directly at any time!

Any referrals you require (i.e., cardiac testing, psychological evaluation, ultrasound, etc.) will be sent by our office. However, you are responsible for scheduling those appointments. Please give the provider to which you were referred 2-4 weeks to contact you in regards to scheduling.


In general, your cardiac and psychiatric clearances expire after 6 months.

If you need any help navigating these requirements, please contact your Bariatric Coordinator.


Pathway to Bariatric Surgery

The time frame to surgery **with insurance** is determined by your insurance company (varies from 6 weeks to 12+ months) and is about 3-6 weeks for **cash pay** patients. We encourage all provider visits (physician, advanced practitioner, dietitian) to be completed virtually, but inperson visits are offered as well.

Pathway to Surgery (Cash Pay)



Pathway to Surgery (Insurance)



Requirements for Syrgery

Requirements Before Surgery

Surgeon Consult

You will meet with Dr. Neichoy or Dr. Schniederjan to discuss which surgery option(s) you may qualify for. The surgeons enjoy getting to know you to help decide which procedure is most beneficial for long-term, sustained weight loss and improved quality of life.

Don't be shy - ask all your questions!!

Bariatric Coordinator Visit

After your consult with the surgeon, one of our Bariatric Coordinators will contact you by phone or e-mail within 3 business days. They will review your bariatric insurance benefits (or lack thereof) and the specific requirements your plan designates in order to obtain approval for surgery. The Coordinator will also discuss the cost of the surgery if you will pay cash for surgery, as well as available financing options.

Whether you are proceeding with insurance or cash pay, the Coordinator will provide you with a checklist. The checklist outlines what is required of you in order to have surgery. We recommend you refer back to this document often to ensure you are completing the necessary requirements. At the end of your visit with the Coordinator, they may also schedule your first appointment(s) in order to move as quickly as possible towards surgery.

BMR Metabolism Test

BMR stands for Basal Metabolic Rate. This is a breathing test that measures your metabolism. Metabolism is how efficient your body utilizes energy and is helpful to determine which surgery may work best for you.

The test is performed in our office by one of our medical assistants and requires you to sit for approximately 5-10 minutes while breathing normally into a tube. You will have a clamp on your nose and it is best not to swallow too often.

The test tells us your RMR (Resting Metabolic Rate) and how it compares to another person your same gender and age. RMR is, essentially, how many calories your body burns at rest. While we are not concerned with the actual number of calories your body is burning, it is helpful for us to know if you have a slow, normal, or fast metabolism. The result of this test provides insight into the changes you may need to focus on most during your weight loss journey. Your Advanced Practitioner or Dietitian will go over this test with you at your next scheduled visit.

Please arrive to this appointment **fasting** (nothing to eat or drink besides water) **for 6 hours**. As well, **no nicotine** should be used 6 hours prior to your BMR test. That means no smoking, chewing, patches, e-cigarettes, vapes with nicotine, etc. before the test. As well, **no strenuous exercise** should be performed in the 6 hours prior to your appointment.

Body Composition Scan

A body composition scan measures the percentage of muscle, fat, bones, water, etc. in your body. The results of this test are used to establish a baseline and help set individualized goals and realistic expectations for weight loss.

The scan measures the location of your fat (visceral versus subcutaneous). Elevated levels of visceral fat (the fat around internal organs) are correlated with several metabolic diseases (obesity, metabolic syndrome, and type 2 diabetes). It also shows trends over time for your total mass (your weight), lean mass (muscle), and fat mass (fat), which aids your providers in tracking your progress accurately.

We perform two types of body scans - DEXA and Tanita. Each of these are performed in our office by a medical assistant. The medical assistant will determine which test is appropriate for you based upon your height, weight, and medical conditions. You will only do one of the scans, not both.

The DEXA scan requires you to lay relatively still on an exam table for approximately 10-15 minutes. We provide pillows as needed if laying flat is uncomfortable for you and will provide assistance onto the exam table for positioning as well. The Tanita scan requires you to stand barefoot on a metal scale for 1-2 minutes while gripping two handles loosely at your side.

Neither of these tests require you to be fasting, but is typically performed on the same day as your BMR test. Your Advanced Practitioner or Dietitian will go over these test results with you at your next visit.

Online Nutrition Education

We developed a series of videos and handouts in the form of an online course that provides an overview of our program as well as the dietary education required for bariatric surgery. You are required to have a working email address to be enrolled.

The course is designed to be completed at your own pace, from home. There are quizzes you must pass to help show understanding of the information, and you will receive a certificate of completion at the end of the course.

Other Testing Before Surgery

Depending on insurance requirements, which procedure you plan to have, and your medical history, the following tests may be required prior to bariatric surgery:

> Cardiac Clearance Psychological Evaluation EGD (Esophagogastroduodenoscopy) Sleep Study Gallbladder Ultrasound Bloodwork

This is not an exhaustive list and further clearances or testing may be warranted as your advanced practitioner deems necessary. Your Bariatric Coordinator and Advanced Practitioner will be sure to communicate testing requirements with you.

Advanced Practitioner Visits

We have a team of passionate and caring Advanced Practitioners (PA - physician associate; NP - nurse practitioner) to guide you through your weight loss journey. You can expect to discuss your medical history, goals, which surgery is most appropriate for you, expectations for surgery, what you need to do to prepare, and more. Your Advanced Practitioner will ensure you complete the necessary diagnostic testing, clearances, and blood work and will review these with you as well.

Nutrition Visits

We use a combination of health coaches and Registered Dietitian Nutritionists to ensure you receive the nutrition information required for success with bariatric surgery. Our team can discuss any specific nutrition needs you may have, lifestyle changes, exercise, vitamins/minerals, and what to expect regarding your diet before and after surgery.

Pre-Op Visit

This visit is typically 5-10 days before surgery and is an opportunity for your surgeon to see how you are doing on the diet and answer any questions you may have about the upcoming surgery.

Medications &

Vitamins

Medications BEFORE Surgery

****Hibiclens (4 oz soap):** Use *half the bottle* the night before surgery when showering. Scrub from collar bones to the top of your thighs. The morning of surgery, use the *other half of the bottle* and follow the same directions as above. Use a clean wash cloth and towel

If you live in Amarillo, take the medications below on the morning of surgery before leaving your house. If you do not live in Amarillo, take these medications the morning of surgery as you enter the Amarillo city limits.

Emend 40mg (generic is Aprepitant): Take **one** capsule 2 hours before surgery with a sip of water. This medication is used to decrease nausea after surgery. If insurance does not provide coverage, you do not have to get this medication. *PLEASE NOTE this medication may alter birth control. Alternative methods of birth control should be used in conjunction with current methods.*

****Tylenol Extra Strength 500mg (generic is Acetaminophen):** Take *two* tablets/capsules (500mg each) 2 hours before surgery with a sip of water.

Lyrica 75mg (generic is Pregabalin): Take **one** capsule 2 hours before surgery with a sip of water. May be substituted with Gabapentin 300mg if insurance does not cover Lyrica.

Celebrex 200mg (may substitute with any other NSAID): Take **two** capsules (200mg each) 2 hours before surgery with a sip of water. May substitute with ****Motrin 600mg** if not covered by insurance.

Medications designated with ** can be purchased over-the-counter

Medications AFTER Surgery

Zofran 4mg (generic is Ondansetron)

Take **one** tablet every 4 hours as needed for nausea and vomiting.

****Prevacid 15 mg (generic is Lansoprazole)**

Take *one* tablet daily for at least 6 weeks to reduce the amount of acid in your stomach. **If you already take a Proton Pump Inhibitor (PPI), continue your normal PPI medication for 6 weeks after surgery.**

****Colace 100 mg (generic is Docusate Sodium)**

Take **one** capsule twice daily for one month to decrease constipation.

**Simethicone or Gas-X 125 mg tablet, capsule, or strips

Take **one** tablet, capsule, or strip every 6 hours as needed to decrease gas.

Eliquis 2.5 mg (generic is Apixaban)

Take **one** tablet twice daily, <u>starting 3 days after surgery</u> and take for 30 days to reduce the risk of forming blood clots.

Medications designated with ** can be purchased over-the-counter

Continued on next page...

Medications AFTER Surgery

PAIN RELIEF REGIMEN TO BEGIN AT HOME AFTER SURGERY

The medications below are meant to be taken together for best pain control

****Tylenol Extra Strength 500mg (generic is Acetaminophen)**

Take 2 tablets/capsules (500mg each) twice a day for 7 days as needed for pain. May be taken every 6 hours if needed

Lyrica 75mg (generic is Pregabalin)

Take **one** capsule twice daily for 7 days as needed for pain. May be substituted with Gabapentin 300mg if insurance does not cover Lyrica.

Celebrex 200mg (generic is Celecoxib)

Take **one** capsule twice daily for 7 days as needed for pain. May be substituted with ******Motrin 600mg or any other NSAID if insurance does not cover Celebrex.

Tramadol 50mg

Take **one tablet** every 6 hours as needed for pain. **This should be taken in between the combination of Tylenol, Lyrica, and Celebrex ONLY IF the combination circled above does not give adequate pain control.**

Medications designated with ** can be purchased over-the-counter

Surgery Medication Schedule

This schedule/calendar below helps you keep track of when to take your medications, vitamins, etc. before and after surgery. Each square represents one

day.

		 uuy.		
Start Diet Before Surgery				
				Shower with half bottle of Hibiclens
Day of Surgery (Start Day of Surgery Checklist)	Start Pain Control Checklist	Start Eliquis		
Pain Control Checklist ENDS	Begin Vitamins			
			Last Day of Eliquis	

Day of Surgery Checklist

When you wake in the morning:

Shower with half bottle of Hibiclens (scrub from your collarbone to the top of your thigh)

Take these before you leave home OR when you enter the Amarillo city limits if you're coming from out of town:

Emend or Aprepitant (40mg)

- take one capsule
- Tylenol Extra Strength <u>or</u> Acetaminophen (500mg)
 - take two capsules
- Lyrica (75mg) or Gabapentin (300mg)
 - take one capsule
- Celebrex (200mg)
 - take two capsules

Remember to bring all your prescription medications with you to the hospital or surgery center!

Take as-needed after surgery:

- Zofran or Ondansetron
 - take one capsule every 4 hours
- Prevacid or Lansoprazole
 - take one tablet daily for 6 weeks
- Colace or Docusate
 - take one capsule twice a day for 30 days
- Mylicon or Simethicone
 - take one tablet every 6 hours

Pain Control Checklist

Morning: Tylenol Extra Strength (500mg) or Acetaminophen take one capsule Celebrex (200mg) take one capsule Lyrica (75mg) or Gabapentin (300mg) take one capsule

Evening:

Tylenol Extra Strength (500mg) or Acetaminophen

• take one capsule

Celebrex (200mg)

- take one capsule
- Lyrica (75mg) or Gabapentin (300mg)
 - take one capsule

To use if the above does not manage pain:

- Tramadol (50mg)
 - take one tablet every 6 hours as needed. This should be taken mid-day (at lunch) ONLY IF pain is not well controlled.

Vitamins

Vitamins are required lifelong after surgery. We recommend following surgery-specific ASMBS guidelines. The charts below are daily recommended intakes. You can find supplements that meet these criteria in our office or online at www.PWLCstore.com



	Sleeve Gastrectomy	Duodenal Switch (SADI-S)		
Thiamin	12 mg/day or more	50 mg/day or more		
Folic Acid		400-800 mcg/day 800-1,000 mcg/day for females of childbearing age		
Vitamin B12	350-1,000 mcg/day	350-1,000 mcg/day		
Vitamin D	3,000 IU/day	3,000 IU/day		
Vitamin A	5,000 - 10,000 IU/day	10,000 IU/day		
Vitamin E	15 mg/day			
Vitamin K	90-120 mcg/day	120-300 mcg/day		
Copper	1 mg/day	2 mg/day		
Zinc	8-11 mg/day	16-25 mg/day		
Iron	18-60 mg/day	45-60 mg/day		
Calcium	1,200-1,500 mg/day	1,500 mg/day		

What to Expect After Surgery

What to Expect

• Immediately after

- Up and walking for at least 10 minutes every hour
- Some pain, but it should be tolerable (5 or less on a scale of 1-10)
- Left shoulder pain and incisional pain is common
- Most patients are discharged the same day, but some patients may stay 1 night in the hospital

• Incisions

- You may shower and wash your incisions with antibacterial soap, but do not scrub or attempt to pull off scabs. Allow the warm, soapy water to run over your incisions.
- Do NOT apply any creams or ointments to your incisions unless approved by your practitioner
- Do NOT use alcohol or peroxide to clean incisions

• Medications

• Your Advanced Practitioner will instruct you on resuming your prescription medications after surgery

• Activity Restrictions

- No lifting anything more than 10 pounds for 3 weeks
- No baths, hot tubs, nor swimming for 10 days
- You may have sex when it is comfortable for you
- You may resume driving as soon as you feel comfortable, assuming you are not taking any pain medication
- No strenuous exercise for 4 weeks (work up to walking 30 minutes a day during this time)

• Returning to Work

- Return to work when you feel ready (typically 1 week after surgery)
- Walk 5-10 minutes every hour to help prevent blood clots for the first 4 weeks
- Remain hydrated. Ensure you are drinking water regularly throughout your work day

• Pregnancy

• Oral birth control may not be as effective for a few months after surgery. Please take other precautions, if appropriate, during this time. It is recommended to avoid conception for 12-18 months after surgery

Please feel free to call our office with any questions you may have.

Helpful Tips

• Dehydration

- Sip all day
- Set a reminder to drink on your phone every 10 minutes
- Use electrolyte supplements if needed (Pedialyte, Ultima Replenisher, etc.)
- Drink a minimum of 50 ounces per day

• Constipation

- Stay hydrated
- Walk at least 10 minutes every hour while you are awake
- Take your prescribed stool-softener (Colace)
- Try using Smooth Move Tea (can be purchased at Wal-Mart)
- If you have not had a bowel movement on day 3 after surgery, add Milk of Magnesia or Miralax (use as directed on the label until you have success with a bowel movement) to your stool-softener regimen
- Take a daily probiotic

• Gas Pain

- Walk at least 10 minutes every hour while you're awake
- Take deep breaths
- Use a heating pad as needed

• Nausea

- Stay hydrated
- Use Zofran/Ondansetron prescription as needed
- Keep something substantial (protein shake, strained soup, etc.) on your stomach every 1-2 hours

• Diarrhea

- Stop taking your stool softener
- Make good food choices
- Eliminate lactose from your diet
- Take Imodium as needed

Please feel free to call our office with any questions you may have.

Appointments After Surgery

Follow-Up Appointments

We encourage you to maintain regular follow-up after surgery. Patients who have follow-up visits are more successful with weight loss, and we want to be part of that success! Each patient's follow-up schedule is different, but you will consistently have a visit around 2 weeks after surgery to identify any surgical complications, adjust/eliminate medications, monitor for vitamin/mineral deficiencies, and provide accountability. As you progress, your follow-up visits will also address nutrition and lifestyle changes, weight loss plateaus or weight regain. At minimum, we require follow up at 6 months and 12 months after surgery. We recommend annual visits after your first year.

Additional follow-up visits provide an opportunity for us to check on your progress with weight loss, any changes to your medical conditions, and order blood work to help identify vitamin/mineral deficiencies.

Lifestyle Education

We believe bariatric surgery is a tool for weight loss that is best utilized in combination with education on health, wellness, nutrition, and lifestyle change. We provide a variety of opportunities for continued learning, including online courses, educational videos, and podcast episodes detailing the latest practices our clinic is utilizing to help people on their journey. We urge you to take advantage of these offerings and truly invest in yourself!

Resources



Social Media

Instagram, Facebook, TikTok and other social media platforms have active bariatric networks. We recommend caution when receiving any advice online, but the following accounts are some of our favorites:

@thesleeveddietitian
@bariatric.meal.prep
@thebariatrictrainer
@bariatricchefboyrd
@bariatric.therapist
@justadopedad
@bariatricqueen
@rissarecharged

@thatvsglife
@bariatricmindset
@drmarkhyman
@glucosegoddess
@marksissonprimal
@drmarkhyman
@drjamesdinic
@peterattiamd

Follow Us! @panhandleweightlosscenter



Other Noteworthy Follows

Masterclass on Insulin Resistance with Peter Attia The Model Health Show with Shawn Stevenson Mark's Daily Apple with Dr. Mark Hyman Andrew Huberman

Support Groups

We encourage attendance at support group meetings as you transition into a new lifestyle! Our patient-led support group meets in the lobby of our office on Thursdays at 6 PM. Kristin Wylie, a local licensed professional counselor, also offers virtual support groups (contact her office at 806-418-2283 for more information). As well, we have an active online support group through Facebook (search "Panhandle Weight Loss Center Support Group" to join).

YouTube

Check out our YouTube channel for videos about surgery, lifestyle, nutrition, and cooking! Scan the QR code to watch!



Podcast

Our providers walk you through a whole-person approach to a lifestyle that promotes health, wellness, and longevity. Scan the QR code to listen on Spotify. Search "Panhandle Weight Loss Center" on other platforms.




Recommended Books

The Obesity Code - Dr. Jason Fung Atomic Habits - James Clear Why We Sleep - Matthew Walker, PhD Start With Why - Simon Sinek What Your Food Ate - David R. Montgomery and Anne Bikle Younger you - Dr. Kara Fitzgerald Drop Acid - David Perlmutter MD Nature Wants Us to be Fat - Richard Johnson MD The Fatburn Fix - Catherine Shanahan MD Why We Get Sick - Benjamin Bikman PhD The Case Against Sugar - Gary Taubes The Big Fat Surprise - Nina Teicholz The Dorito Effect - Mark Schatzker Glucose Revolution - Jessie Inchauspe The Energy Paradox - Steven R. Gundry MD Salt Sugar Fat - Michael Moss Lifespan - David A. Sinclair PhD The Omnivore's Dilemma - Michael Pollan In Defense of Food - Michael Pollan Deep Nutrition - Catherine Shanahan MD The Mind-Gut Connection - Emeran Mayer MD Always Hungry - David Ludwig MD PhD Outlive - Peter Attia MD

Baritastic App

Your providers will encourage you to use a food tracking app to help better understand what you are putting in your body and ensure you are meeting your nutrition goals. At Panhandle Weight Loss Center, we use the Baritastic app, designed with bariatric surgery patients in mind! The app allows you to access our program's resources and allows us to monitor your progress and view your nutrition logs if needed.

Program Code: 77952





Thinkific

Our staff will enroll you in two courses: one you should watch before surgery and one to help you know what to expect after surgery. Once you are enrolled, use the QR code to the right to reach the login screen



Step 1

WEGHT		All Courses Sign In	
	Welcome Ba	ck!	
	Email		
	Email		
	Password		
	C Remember ne	farpst.lanseoul;	
	Sign in		
	Or sign in with		
	Emails: a new account)	

Steps 2-5

VIETHT LOSS WECHT LOSS CENTER			All Courses Sign In
	Create a new		
	Spree Or sign up w In f G Literature as and	٠	

If it is your first time to log in, follow the steps below:

Step 1: Click "Create a new account"

Step 2: Enter your First and Last Name

Step 3: Enter the email address our office has on file for you

Step 4: Enter the password you want to use for this site

Step 5: Click "Sign Up"

Primal Blueprint Guidelines

Providers at Panhandle Weight Loss Center are trained and certified as Health Coaches in the Primal Blueprint.

The Primal Blueprint is based on lifestyle principles that have governed human health and performance for many years. As our patient, you will find we use the Primal guidelines to influence your care. We strive to look at the "big picture" of health and wellness, not only addressing diet and exercise but also addressing sleep, stress, medications, hormones, lab work, etc. While we do believe each patient has unique needs and there is no "one size fits all" model, we believe the model of our hunter-gatherer ancestors provides better results for longevity, health, and wellness than other models used in practice today.

Our desire is to utilize the Primal Blueprint as a starting point for your journey. We encourage you to take initiative and learn the ins and outs of your body and how it functions as a whole. This will likely include un-learning quite a bit of conventional "wisdom" regarding nutrition and weight loss and replacing it with truth about how our bodies are nourished best and what defines "health". We are happy you've chosen us to come alongside you in this journey!


The next 3 pages are the basic Primal principles.



PRIMAL BLUEPRINT FOOD PYRAMID

• Nutritious, satisfying, high-nutrient-value, low-insulin-stimulating foods.

- Low carbohydrate, moderate protein, ample nutritious fats.
 - Flexible choices and meal habits by personal preference.
 - Free of grains, sugars, and refined vegetable oils.



Pyramid Notes: The Primal Blueprint Food Pyramid conveys which foods and categories to emphasize in the model of our hunter-gatherer ancestors. Meal emphasis should be on vegetables; think heaping portions crowding the plate, instead of the small-serving accoutrements we are accustomed to. However, most of your calories will come from animal foods (meat, fish,

fowl, and eggs) due to their caloric density.

The most critical distinction between primalstyle eating and the Standard American Diet (SAD) is the complete absence of the most offensive modern foods: refined sugars, grains and vegetable oils. These inflammatory, oxidative, nutrient devoid "foodlike substances" (as author Michael Pollan says) comprise an estimated two-thirds of total SAD calories. Ditching these agents opens you up to colorful, nutrient dense, highly satisfying foods that promote optimal gene expression.

PRIMAL APPROVED FOODS

VEGETABLES

Artichoke Arugula Asparaqus Avocado Beets/Beet Greens **Bell Peppers** Bok Choy Broccoli Broccoli Rabe **Brussels Sprouts** Cabbage Carrots Collards Cucumbers Eggplant Endive Fennel **Fiddlehead Ferns** Garlic Green Beans Jerusalem Artichoke Jicama Kale Kohlrabi Leeks Mushrooms Mustard Greens Olives Onions Parsnips Peppers (all kinds) Pumpkin Purslane Radish **Romaine Lettuce** Rutabaga Sea Vegetables Spinach Swiss Chard Tomatoes Turnip Greens Watercress

STARCHES IN MODERATION

Cassava Potatoes Sweet Potatoes Wild Rice Yams

FISH

Taro

Anchovies Bass Catfish Cod Eel Haddock Halibut Herring Mackerel Mahi Mahi Monkfish Mullet Northern Pike Orange Roughy Perch Red Snapper Rockfish Salmon Sardines Tilapia Tuna Walleve Any other wild fish

SHELLFISH Abalone

Clams Crab Crayfish Lobster Mussels Oysters Prawns Scallops Shrimp

MEAT & POULTRY Beef

Chicken Goat Lamb Pork Game Meat Alligator Bear Buffalo Caribou Duck Flk Emu Goose Pheasant Kangaroo Ostrich Ouail Rabbit Snakes Turkev Venison

ORGAN MEAT

Hearts Kidney Liver Bone Marrow Sweetbreads Tongue EGGS Chicken Duck Emu Goose Pheasant Quail Roe/Caviar Other Bird Eggs

NUTS & SEEDS

Almonds Brazil Nuts Hazelnuts Macadamia Pecans Pine Nuts Pistachios Pumpkin Seeds Sesame Seeds Sunflower Seeds Walnuts Derivative Butters

HEALTHY FATS & OILS Primal Kitchen™ Avocado Oil

Primal Kitchen™ Avocado Oil Primal Kitchen™ Extra Virgin Avocado Oil Butter/Ghee Coconut Oil/Milk Lard Macadamia Oil Olive Oil Sesame Oil Tallow Unprocessed Palm Oil

PREFERRED FRUIT

Blackberries Blueberries Boysenberries Cranberries Gooseberries Raspberries

OTHER FRUITS

Apple Apricot Banana Cantaloupe Cherries Coconuts Figs Goji Berries Grapefruit Grapes Guava Honeydew Melon Kiwi Lemon Lime Lvchee Mango Nectarine Orange Papaya Passion Fruit Peaches Pears Persimmon Pineapple Plums

Pomegranate Rhubarb Star Fruit Strawberries Tangerine Watermelon All other fruits

SPICES & HERBS

Anise Basil Black Pepper Cayenne Pepper Chili Pepper Cilantro Coriander Seeds Cinnamon Cloves Cumin Dill Fennel Ginger Mint Mustard Seeds Nutmea Oregano Paprika Parsley Peppermint Rosemary Sage Tarragon Thyme Turmeric

CONDIMENTS & DRESSINGS Primal Kitchen[™] Ranch Dressing

Primal Kitchen[™] Ranch Dressing Primal Kitchen[™] Greek Vinaigrette Primal Kitchen[™] Honey Mustard Dressing Primal Kitchen[™] Mayo with Avocado Oil Primal Kitchen[™] Chipotle Lime Mayo Vinegar

OTHER

Primal Master Formula Primal Omegas Primal Probiotics Primal Sun (Vitamin D) Primal Kitchen™ Fuel Stevia Tamari Tea (green, black, white, oolong)

OTHER IN MODERATION

100% Full Fat Cream Cheese Coffee Grass-fed & Organic Full Fat Yogurt Coconut Milk Yogurt Alternative Cashew Milk Yogurt Alternative Almond Milk Yogurt Alternative

OCCASIONAL INDULGENCES Dark Chocolate



Note: Some food choices listed above might be endangered or unsustainable. Please use discretion when making selections.

PANHANDLE WEIGHT LOSS CENTER

PRIMAL BLUEPRINT FITNESS PYRAMID

Functional fitness, stress/rest balance, anti-aging benefits



Pyramid Notes: The pyramid reflects the exercise patterns that shaped human evolution for 2.5 million years. Becoming fit, or even super fit, does not have to involve a complex, time-consuming approach. All you have to do is engage in a sensible blend of Primal Blueprint-style workouts, which are scalable to people of all fitness levels.

The Move Frequently goal blends structured aerobic workouts with increased general everyday movement; movement enhances fat metabolism and immune and cognitive function. For Lift Heavy Things, you can enjoy excellent benefits from a workout as short as seven minutes – really! Keep workouts brief (30 minutes is plenty, even for experts) and intensity high. This will stimulate the flow of adaptive hormones and prevent chronic exercise patterns.

Frequently Asked Questions

Do I need to be in-person for anything?

Your visits with any of our providers (surgeon, advanced practitioner, dietitian, etc.) can be done virtually. Your BMR test and body composition scan are performed in our office. Other testing (cardiac clearance, psych clearance, gallbladder ultrasound, etc.) is performed in-person, but not in our office. The exception to this is any cardiac testing performed by Frontera - this is completed in our office.

What do I do about gas? Walk, walk, walk! Most gas pains are from the carbon dioxide used during surgery and will be absorbed over the first 2-3 days. Excess gas/flatulence is also common in the first few weeks after surgery. You can take Gas-X strips, Mylicon Drops, or Simethicone (generic) to relieve gas pains.

What do I do about constipation? You can try MiraLAX or Smooth Move Tea, which are available over the counter. You should also increase fluid intake and/or take an insoluble fiber supplement (Fiber-Con, BeneFiber or Metamucil). We recommend starting with ¼ to ½ the recommended dosing. Half a cup of warm prune juice may help as well. Call our office if the constipation persists more than 2-3 days.

What do I do about diarrhea? For the first few weeks after surgery, it is normal to feel cramping or diarrhea. You may take Imodium AD or try a probiotic. Diarrhea is a more frequent problem with patients undergoing the Duodenal Switch procedure and can lead to dehydration. Make sure to increase your water consumption beyond the normal recommendations. Call our office if diarrhea persists more than 2-3 days.

What do I do if I am feeling nauseous or vomiting? Nausea can be expected in the first few weeks after surgery. Watch your eating behavior. Are you eating too much, too fast, or eating foods high in sugar or fat? Are you drinking with your meals? You may also be dealing with food intolerances. If you are feeling nauseous or vomiting, wait about two hours until symptoms subside, then go back to full liquids again. If vomiting continues for more than a 24-hour period, call our office.

When can I drive?

As soon as you feel comfortable, assuming you are not taking any pain medication.

When can I start to exercise after surgery?

You can begin to walk as soon as you feel stable on your feet. For most people, this is within hours of the surgery.

When can I go back to work?

You cannot lift, push, or pull anything greater than 10 pounds for 3 weeks after surgery. If your job does not require heavy lifting/pushing/pulling, return to work is typically 1 week after surgery.

Why do I need to drink so much water? Proper hydration is critical during recovery from surgery. When food intake is low, it becomes even more important to drink fluids to meet the needs of your body. Dehydration is one of the most common reasons for re-hospitalization. It can cause weakness, fatigue, light-headedness, dizziness and constipation. You should sip constantly on water between meals. Your goal is 64 ounces of water a day.

Why do I sometimes feel tightness in my chest area after eating? This

can be caused by eating too fast, not chewing well enough, taking too big of a bite, or drinking with meals. Stop what you are doing. Stand up and pace the floor. This may alleviate tightness sooner.

Will my taste/smell change?

It is possible. We recommend not purchasing large amounts of protein drinks before surgery, as you may not like the same flavor afterwards.

When can I get pregnant after surgery? It is strongly recommended to wait at least 18 months after surgery before trying to conceive, as your body will be fairly stable from a weight and nutrition standpoint. You should note fertility often increases with weight loss, so be sure to take extra precautions, as it is possible to conceive anytime after surgery.

Contact Us

If you are experiencing a medical emergency, **call 911** or go to the emergency room. If possible, return to the hospital at which you had surgery and notify Panhandle Weight Loss Center.

Please notify any medical personnel of your history of bariatric surgery before they treat you!

Our office is staffed Monday through Thursday 8:30 AM - 5:00 PM and Fridays from 8:30 AM - 12:00 PM. During normal business hours, if you experience a non-emergent complication or believe you need to be seen by one of our providers, please call for an appointment or to speak with a nurse. Outside normal business hours, if you experience a nonemergent complication or believe you need to be seen by one of our providers, please call our office and the on-call provider will be notified.

Please notify your surgeon/nurse if any of the following occur:

Bright red blood in your vomit or stool Excessive pain in your chest Pain, redness, or swelling in your legs Difficulty breathing or increased shortness of breath Inability to keep fluids down and no urination Frequent vomiting or diarrhea lasting more than 24 hours Abdominal pain that persists for more than 4 hours No bowel movements after utilizing Colace or Milk of Magnesia Uncontrollable pain or severe pain/bleeding around incisions Increased redness or milky, malodorous discharge from incisions Fever over 100.5 degrees

Important Phone Numbers

Panhandle Weight Loss Center

806.677.7952

Fax: 806.353.6081

For urgent after-hours matters, call our office to reach the on-call provider

Surgery Center of Amarillo	806.418.8870	
BSA Hospital	806.212.2000	
Northwest Texas Hospital	806.354.1000	
Cardiology Center of Amarillo	806.354.9764	
Amarillo Heart Group	806.358.4596	
Kristin Wylie (Psych Eval)	806.418.2283	
Dr. Cartwright (Psych Eval)	214.918.1999	
Dr. Bricken (Psych Eval)	281.364.0067	
Amarillo Diagnostic Clinic Pharmacy	806.358.0331	